

SIXHUMENE-Wave1_10-22-2025.netcanvas

Sixhumene - Social network modules - Wave 1



LAST MODIFIED:10/22/2025, 11:46:28 AM

SCHEMA VERSION:7

DOCUMENT CREATED: 10/22/2025 11:46:31 AM

Contents

STAGES

1. Protocol Citation Information
2. Fieldworker ID
3. Study ID
4. Referee check
5. DSID lookup
6. Manual identity check
7. Intro to SN module
8. Non-roster name generator
9. Referral QR assignment
10. Name identifier
11. Alter characteristics 1
12. Alter met - other
13. Alter spend time - other
14. Alter characteristics - relatives
15. Alter characteristics - other relative
16. Alter characteristics - friend
17. Alter characteristics - other
18. Alter communication
19. Alter location - inside PIP
20. Alter location - outside PIP
21. Alter location - provinces
22. Alter location - specify
23. Alter satisfaction introduction
24. Relationship satisfaction
25. Relationship satisfaction - per alter
26. Sociogram
27. Alter alter communication
28. Discuss introductions
29. Sexual discussions
30. Alter perceived sexual behaviour
31. Alter sexual relationship - screener
32. Alter sexual relationship - detail

CODEBOOK

Ego

NODE TYPES

 Ego

 Person

EDGE TYPES

 CoResidents

 Known

ASSETS

NETWORK

permuted_data_10feb2020 - ego



PAGE HEADING

Protocol Citation Information


ITEMS

BLOCK SIZE	SMALL
TYPE	Text
CONTENT	Protocol Authors: Nxumalo V, Nxumalo S, Smit T, Khoza T, Mdaba F, Khumalo T, Cislaghi B, McGrath N, Seeley J, Shahmanesh M, Harling G.
BLOCK SIZE	SMALL
TYPE	Text
CONTENT	Cite Publication: Nxumalo, V., Nxumalo, S., Smit, T., Khoza, T., Mdaba, F., Khumalo, T., Cislaghi, B., McGrath, N., Seeley, J., Shahmanesh, M., & Harling, G. (2022). Protocol: Mapping social networks, social influence and sexual health among youth in rural KwaZulu-Natal, the Sixhumene cohort study [version 1; peer review: 2 approved]. <i>Wellcome Open Research</i> , 7, 164. [https://doi.org/10.12688/wellcomeopenres.17896.1] [https://doi.org/10.12688/wellcomeopenres.17896.1]
BLOCK SIZE	SMALL
TYPE	Text
CONTENT	Study Title: Mapping Social Networks, Social Influence and Sexual Health Among Youth in Rural KwaZulu-Natal, the Sixhumene Cohort Study
BLOCK SIZE	SMALL
TYPE	Text
CONTENT	PI: Guy Harling Grant Number: 210479/Z/18/Z

INTERVIEWER SCRIPT

2

Fieldworker ID



INTRODUCTION PANEL

Fieldworker ID

FORM

VARIABLE



FW_check

COMPONENT

Text


PROMPT

Please enter your fieldworker ID

INTERVIEWER SCRIPT

3

Study ID



INTRODUCTION PANEL

Study ID

Please enter the Study ID of this participant from your list.

FORM

VARIABLE



DSID_check



Stage_check

COMPONENT

Text

ToggleButtonGroup

PROMPT


What is this person's study ID

Is this person a Stage 1 participant (original sample) or a Stage 2 participant (named contact)?

INTERVIEWER SCRIPT

4

Referee check



SKIP LOGIC

ACTION	SHOW
RULES	<div><div>Ego</div> has <div><div></div>Stage_check</div> that includes Stage 2</div>

INTRODUCTION PANEL

Phase 1 participant ID

Please enter the study ID for the person who referred the respondent into the study

FORM

VARIABLE	COMPONENT	PROMPT
<div><div></div>Referee_check</div>	Text	[IWER: Please enter the study ID of the person that referred the respondent into the study]

INTERVIEWER SCRIPT

5

DSID lookup


SUBJECT



Ego

VARIABLES

Stage_check



SKIP LOGIC

ACTION

SHOW

RULES



has



Stage_check

that includes **Stage 1**

DATASOURCE

TYPE

network

NAME

permuted_data_10feb2020 - ego


PROMPTS

1. Please enter the participant's DSID. If you do not know the DSID, skip this question.

INTERVIEWER SCRIPT

6

Manual identity check



SKIP LOGIC

ACTION

SKIP

RULES

Ego exists

INTRODUCTION PANEL

ID check

Please enter the name of this participant

FORM

VARIABLE



ID_check

COMPONENT

Text

PROMPT

Please enter this person's name

INTERVIEWER SCRIPT

7

Intro to SN module

This interface has a video with sound.

The video below has sound and is a portrait video. Some video may have content that can contain harmful content.



PAGE HEADING

Social network name generator

ITEMS

BLOCK SIZE	SMALL
TYPE	Text
CONTENT	<p>We would like to make a list of the people who are important to you. We will ask you several questions. For each question, there may be several people who fit the description given, or none. There is no right number of answers to each question. Please only name each person once.</p> <p>First we will try to look people up in a database on the tablet. If we cannot find some people, perhaps because they do not live nearby, we will then add them separately.</p>

INTERVIEWER SCRIPT

8

Non-roster name generator


SUBJECT



Person

VARIABLES

name, NgNonRoster



QUICK ADD

VARIABLE



name

TYPE

text

PROMPTS

1. IWER: Please enter each of the names you have written down here.

VARIABLE



NgNonRoster

VALUE

TRUE

INTERVIEWER SCRIPT

9

Referral QR assignment


SUBJECT



Person

VARIABLES

AltQR, AltQR_check



INTRODUCTION PANEL

Contact QR assignment

We now want to assign codes to each named contact

FORM

VARIABLE



AltQR

COMPONENT

Text

PROMPT

Please write the name of this alter on a referral slip. Then enter the 3 letter QR code on that slip here. *Do not* ask to make a referral now.



AltQR_check

CheckboxGroup

Is this the person that referred you into this study?

INTERVIEWER SCRIPT

Name identifier

100% correct

Progress: 1/20 (100%)

Pick the correct answer(s)

- ☐ Threat
- ☐ Test
- ☒ Exp
- ☐ Planning failure

Does this pattern cover this scenario: attack?

☐












Which of these does this pattern test?

- ☐ Reliability
- ☐ Integrity
- ☐ Work
- ☒ Data Confidentiality
- ☐ Data Availability
- ☐ System
- ☐ Privacy
- ☐ Timing

Name linkage

To understand who is connected to whom, we would like to be able to connect your responses to those of your contacts who live in this area. This data will allow us to understand how behaviour and health spreads in your community. To do this we need to ask you some questions that will help us to identify the people you have spoken to us about. I will now ask you about your each of your contacts. If we come to any question that you don't want to answer, you can skip it and go onto the next question.


FORM

VARIABLE	COMPONENT	PROMPT
 IntFirstName	Text	4.1. What is this person's first name?
 IntFirstNameOther	Text	4.2. Does this person have any other first names?
 IntLastName	Text	4.3. What is this person's last name?
 IntLastNameOther	Text	4.4. Has this person previously had any other last names?
 IntMotherName	Text	4.7. What is this person's mother's name?
 IntMotherSurname	Text	4.7a. What is this person's mother's surname?
 IntFatherName	Text	4.8. What is this person's father's name?
 IntFatherSurname	Text	4.8a. What is this person's father's surname?
 IntBirthday	Text	4.9. When is this person's birthday?
 IntPhone	Text	4.10. Do you have a phone number for this person? If so, what is it?
 IntPhone2	Text	4.11. Do you have any other phone number for this person? If so, what is it?

INTERVIEWER SCRIPT

11

Alter characteristics 1



SUBJECT



Person

VARIABLES

AltAge, AltGender, AltLength, AltLoc1, AltMeet,
AltRelate, AltSpendTime

INTRODUCTION PANEL

Name interpreter part 1

Now we are going to ask some questions about the people you just named. First we will ask about the connection you have with each person, and then some questions about what you think they believe and do.

FORM

VARIABLE



AltGender

COMPONENT

ToggleButtonGroup

PROMPT

3.8. Is this person male or female?



AltAge

Number

3.9a. How old is this person? If you do not know for certain, your best guess is fine.



AltRelate

ToggleButtonGroup

3.9. Is this person a relation of yours?



AltLength

Number

3.13. How long have you known this person in years? Please round to the nearest year.



AltMeet

ToggleButtonGroup

3.14. How did you first meet this person?



AltSpendTime

CheckboxGroup

3.22. Where do you usually spend time with this person?



AltLoc1

RadioGroup


3.23. Where does this person live?

INTERVIEWER SCRIPT

12

Alter met - other

SUBJECT	<div>Person</div>
VARIABLES	AltMeet, AltMeetOth



NETWORK FILTERING

RULES	<div><div>Person</div> where <div>AltMeet</div> includes Met some other way</div>
-------	--

SKIP LOGIC

ACTION	SHOW
RULES	<div><div>Person</div> where <div>AltMeet</div> includes Met some other way</div>

INTRODUCTION PANEL

Met alter other way

You said that you met this person some other way

FORM


VARIABLE	COMPONENT	PROMPT
<div>AltMeetOth</div>	Text	How did you meet this person?

INTERVIEWER SCRIPT

13

Alter spend time - other

SUBJECT	<div>Person</div>
VARIABLES	AltSpendTime, AltSpendTimeOth



NETWORK FILTERING

RULES

Person

where

AltSpendTime

includes

Somewhere else

SKIP LOGIC

ACTION

SHOW

RULES

Person

where

AltSpendTime

includes

Somewhere else

INTRODUCTION PANEL

Spend time elsewhere

You said that you spend time with this person somewhere else

FORM

VARIABLE	COMPONENT	PROMPT
<div><div>AltSpendTimeOth</div></div>	Text	Where else do you spend time with this person?

INTERVIEWER SCRIPT

14

Alter characteristics - relatives

SUBJECT



Person


VARIABLES

AltRelate, AltRelType



NETWORK FILTERING

RULES



Person

where



AltRelate


includes **Yes**

SKIP LOGIC

ACTION

SHOW

RULES



Person

where



AltRelate

includes **Yes**

PROMPTS

- 3.10. What kind of relation is this person to you?

VARIABLE



AltRelType

INTERVIEWER SCRIPT

15

Alter characteristics - other relative

SUBJECT	<div><div></div>Person</div>
VARIABLES	AltRelativeOther, AltRelType



NETWORK FILTERING

RULES	<div><div>Person</div> where <div><div></div>AltRelType</div> includes <u>Other relation</u></div>
-------	--

SKIP LOGIC

ACTION	SHOW
RULES	<div><div>Person</div> where <div><div></div>AltRelType</div> includes <u>Other relation</u></div>

INTRODUCTION PANEL

Other relative

You said that this person is an other type of relative

FORM

VARIABLE	COMPONENT	PROMPT
<div><div></div>AltRelativeOther</div>	Text	3.10_o. Please describe how you are related to this person

INTERVIEWER SCRIPT

16

Alter characteristics - friend

SUBJECT



Person

VARIABLES

AltFriend, AltRelate



NETWORK FILTERING

RULES



Person

where



AltRelate

includes **No**

SKIP LOGIC

ACTION

SHOW

RULES



Person

where



AltRelate

includes **No**

PROMPTS

- 3.11. Is this person a friend of yours?

VARIABLE




AltFriend

INTERVIEWER SCRIPT

17

Alter characteristics - other

SUBJECT	<div><div></div>Person</div>
VARIABLES	AltFriend, AltRelOther



NETWORK FILTERING

RULES

Person

where AltFriend includes **No**

SKIP LOGIC

ACTION

SHOW

RULES

Person

where AltFriend excludes **No**

INTRODUCTION PANEL

Other relationship

You said this person is neither a relative nor a friend.

FORM

VARIABLE	COMPONENT	PROMPT
<div><div></div>AltRelOther</div>	Text	3.12. Please describe your relationship with this person

INTERVIEWER SCRIPT

18

Alter communication



SUBJECT



Person

VARIABLES

AltFrqArgue, AltFrqComm, AltFrqEmot, AltFrqfin,
AltFrqInfo, AltFrqPhys, AltFrqSee, AltFrqSoc

PROMPTS

1. 3.15. Over the past six months, on average how often have you **seen** this person?

VARIABLE



AltFrqSee

2. 3.16. Over the past six months, on average how often have you communicated with this person **without seeing them**? This might include telephone conversations, text messages, emails or letters.

VARIABLE



AltFrqComm

3. 3.17. Over the past six months, how often have you received emotional support from this person, such as when you are feeling sad, anxious or upset?

VARIABLE



AltFrqEmot

4. 3.18. Over the past six months, how often have you received help doing things from this person, such as tasks inside or outside your home or borrowing things?

VARIABLE



AltFrqPhys

5. 3.19. Over the past six months, how often have you received information or advice from this person, such as about a health or employment problem, or moving to another place?

VARIABLE



AltFrqInfo

6. 3.20. Over the past six months, how often have you received help with money from this person, such as borrowing money or food, or getting a job that pays?

VARIABLE



AltFrqfin

7. 3.21. Over the past six months, how often have you socializing with this person, such as visiting them, or them visiting you, or going out somewhere with them?

VARIABLE



AltFrqSoc

8. 3.21a. Over the past six months, how often has this person argued with you or criticized you in a humiliating way?

VARIABLE



AltFrqArgue

INTERVIEWER SCRIPT

19

Alter location - inside PIP

SUBJECT



Person

VARIABLES

AltIzigodi, AltLoc1



NETWORK FILTERING

RULES



Person

where



AltLoc1

is exactly equal to

Outside this isigodi, within Mpukunyoni Tribal Area

SKIP LOGIC

ACTION

SHOW

RULES



Person

where



AltLoc1

is exactly equal to

Outside this isigodi, within Mpukunyoni Tribal Area

INTRODUCTION PANEL

Izigodi location

FORM

VARIABLE



AltIzigodi

COMPONENT

RadioGroup

PROMPT

3.24. Which isigodi does this person reside in?

INTERVIEWER SCRIPT

20

Alter location - outside PIP


SUBJECT



Person

VARIABLES

AltLoc1, AltLoc2



NETWORK FILTERING

RULES



Person

where



AltLoc1

is exactly
equal toOutside
Mpukunyoni Tribal
Area

SKIP LOGIC

ACTION

SHOW

RULES



Person

where



AltLoc1

is exactly
equal toOutside
Mpukunyoni Tribal
Area

INTRODUCTION PANEL

Alter location - outside Hlabisa subdistrict

FORM

VARIABLE



AltLoc2

COMPONENT

RadioGroup

PROMPT

3.25. Where does this person
normally reside?

INTERVIEWER SCRIPT

21

Alter location - provinces

SUBJECT



Person

VARIABLES

AltLoc2, AltProvince



NETWORK FILTERING

RULES



Person

where



AltLoc2

is exactly
equal to**Republic of South
Africa, not KwaZulu-
Natal**

SKIP LOGIC

ACTION

SHOW

RULES



Person

where



AltLoc2

is exactly
equal to**Republic of South
Africa, not KwaZulu-
Natal**

PROMPTS

- 3.28. In which province does this person normally reside?

VARIABLE



AltProvince

INTERVIEWER SCRIPT

22

Alter location - specify

SUBJECT



Person

VARIABLES

AltIzigodi, AltLoc2, AltLocSpec



NETWORK FILTERING

RULES



where



AltLoc2

is exactly
equal to**Hlabisa district, not
Mpukunyoni Tribal Area**

OR



where



AltLoc2

is exactly
equal to**KwaZulu-Natal, not
Hlabisa district**

OR



where



AltLoc2

is exactly
equal to**Foreign
Country**

OR



where



AltIzigodi

is exactly equal to **Other**

SKIP LOGIC

ACTION	SHOW
RULES	<div><div>Person</div> where <div><div></div>AltLoc2</div> is exactly equal to Hlabisa district, not Mpukunyoni Tribal Area</div> <div>OR</div>
	<div><div>Person</div> where <div><div></div>AltLoc2</div> is exactly equal to KwaZulu-Natal, not Hlabisa district</div> <div>OR</div>
	<div><div>Person</div> where <div><div></div>AltLoc2</div> is exactly equal to Foreign Country</div> <div>OR</div>
	<div><div>Person</div> where <div><div></div>AltIzigodi</div> is exactly equal to Other</div>

INTRODUCTION PANEL

Specify alter location


FORM

VARIABLE	COMPONENT	PROMPT
<div><div></div>AltLocSpec</div>	Text	Where does this person normally reside?


INTERVIEWER SCRIPT

23

Alter satisfaction introduction



SKIP LOGIC

ACTION	SHOW
RULES	 exists

PAGE HEADING

Your feelings about your contacts


ITEMS

BLOCK SIZE	SMALL
TYPE	Text
CONTENT	We would like to ask you about your feelings about the people you have named. For each person we are interested in how much you agree or disagree with the statement. There are no right or wrong answers, just honestly describe your feelings.

INTERVIEWER SCRIPT

24

Relationship satisfaction



SUBJECT

 Person

VARIABLES

 AltSatis1, AltSatis2, AltSatis3, AltSatis4, AltSatis5,
 AltSatis6, AltSatis7, AltSatis8, AltSatis9

SKIP LOGIC

ACTION

SKIP

RULES

 Person exists

PROMPTS

- 3.44. I feel satisfied with our relationship

VARIABLE



AltSatis1

- 3.45. Our relationship is almost perfect

VARIABLE



AltSatis2

- 3.46. Our relationship makes me very happy

VARIABLE



AltSatis3

- 3.47. Our relationship does a good job of fulfilling my needs

VARIABLE



AltSatis4

- 3.48. I want our relationship to be as good as it is now forever

VARIABLE



AltSatis5

6. 3.49. I am committed to maintaining our relationship

VARIABLE



AltSatis6

7. 3.50. I would not feel very upset if our relationship were to end in the near future

VARIABLE



AltSatis7

8. 3.51. I feel very strongly linked to our relationship

VARIABLE



AltSatis8

9. 3.52. I want our relationship to last forever

VARIABLE




AltSatis9

INTERVIEWER SCRIPT

25

Relationship satisfaction - per alter



SUBJECT

 Person

VARIABLES

AltSatisX1, AltSatisX2, AltSatisX3, AltSatisX4,
AltSatisX5, AltSatisX6, AltSatisX7, AltSatisX8,
AltSatisX9

SKIP LOGIC

ACTION

SKIP

RULES










 exists

INTRODUCTION PANEL

Your feelings about your contacts

We would like to ask you about your feelings about the people you have named. For each person we are interested in how much you agree or disagree with the statement. There are no right or wrong answers, just honestly describe your feelings.

FORM

VARIABLE	COMPONENT	PROMPT
 AltSatisX1	LikertScale	3.44. I feel satisfied with our relationship
 AltSatisX2	LikertScale	3.45. Our relationship is almost perfect
 AltSatisX3	LikertScale	3.46. Our relationship makes me very happy
 AltSatisX4	LikertScale	3.47. Our relationship does a good job of fulfilling my needs
 AltSatisX5	LikertScale	3.48. I want our relationship to be as good as it is now forever
 AltSatisX6	LikertScale	3.49. I am committed to maintaining our relationship
 AltSatisX7	LikertScale	3.50. I would not feel very upset if our relationship were to end in the near future
 AltSatisX8	LikertScale	3.51. I feel very strongly linked to our relationship
 AltSatisX9	LikertScale	3.52. I want our relationship to last forever

INTERVIEWER SCRIPT

26

Sociogram

SUBJECT



Person

VARIABLES

XYInitial




SKIP LOGIC

ACTION

SHOW

RULES



Person exists

PROMPTS

- 3.53. Please place each person on this map. Please put people who are closer to you nearer the centre, and people who are closer to one-another closer together.

LAYOUT VARIABLE



XYInitial

ALLOW HIGHLIGHTING

FALSE

- 3.54. On this map, please draw a line between each pair of individuals who live together.

LAYOUT VARIABLE



XYInitial

CREATES EDGE

CoResidents

ALLOW HIGHLIGHTING

FALSE

- 3.54a. On this map, please draw a line between each pair of individuals who know each other

LAYOUT VARIABLE



XYInitial

CREATES EDGE

Known

ALLOW HIGHLIGHTING

FALSE

INTERVIEWER SCRIPT

27

Alter alter communication


SUBJECT



Known

VARIABLES

AltAltComm



NETWORK FILTERING

RULES



Known

exists

SKIP LOGIC

ACTION

SHOW

RULES



Known

exists

INTRODUCTION PANEL

Contact interaction

We would like to understand how well your contacts know one another. If you are not sure about the right answer, your best guess is fine.

FORM

VARIABLE



AltAltComm

COMPONENT

RadioGroup

PROMPT

3.55. How often you think these two people see or communicate with one-another?

INTERVIEWER SCRIPT

28

Discuss introductions

This interface has a video with sound.

The video below has sound only on a screen. Some accessibility, but content that can contain formatting



SKIP LOGIC

ACTION

SHOW

RULES

Person exists

PAGE HEADING

Discussions with contacts

ITEMS

BLOCK SIZE

SMALL

TYPE

Text

CONTENT

I would like to ask you some questions about what you and your contacts talk about and their opinions about things. If you do not know their opinion, your best guess is fine.

INTERVIEWER SCRIPT



SUBJECT



Person

VARIABLES

AltAdvicePrevIn, AltAdvicePrevOut,
AltAdviceSexIn, AltAdviceSexOut,
AltDiscussPrevent, AltDiscussSex

SKIP LOGIC

ACTION

SHOW

RULES



exists

PROMPTS

1. 3.33. Have you ever talked with this person about sexual matters?

VARIABLE



AltDiscussSex

2. 3.34. Have you ever talked with this person about avoiding HIV or other sexually transmitted infections?

VARIABLE



AltDiscussPrevent

3. 3.40. Have you ever asked this person for advice about who to have a sexual relationship with?

VARIABLE



AltAdviceSexIn

4. 3.41. Have you ever asked this person for advice about how to avoid getting HIV or other sexually transmitted infections?

VARIABLE



AltAdvicePrevIn

5. 3.42. Has this person ever asked you for advice about who to have a sexual relationship with?

VARIABLE



AltAdviceSexOut

6. 3.43. Has this person ever asked you for advice about how to avoid getting HIV or other sexually transmitted infections?

VARIABLE




AltAdvicePrevOut

INTERVIEWER SCRIPT

30

Alter perceived sexual behaviour



SUBJECT


 Person

VARIABLES


AltDiscussPrevent, AltDiscussSex, AltOpinAbstain,
AltOpinCondom, AltOpinFaithful, AltOpinKnow,
AltOpinRefuse

NETWORK FILTERING

RULES

Person where  AltDiscussSex includes **Yes**

OR


Person where  AltDiscussPrevent includes **Yes**

SKIP LOGIC


ACTION

SHOW

RULES

Person where  AltDiscussSex includes **Yes**

OR






Person where  AltDiscussPrevent includes **Yes**

INTRODUCTION PANEL

Perceived behaviours and opinions

I would like to ask you some questions about what you think your alter's opinions might be. If you do not know their opinion, your best guess is fine.

FORM

VARIABLE	COMPONENT	PROMPT
 AltOpinAbstain	RadioGroup	3.35. Does this person abstain from sexual relationships?
 AltOpinFaithful	RadioGroup	3.36. Does this person have only one partner at a time?
 AltOpinCondom	RadioGroup	3.37. Does this person use condoms?
 AltOpinKnow	RadioGroup	3.38. Does this person get to know people well before having sex?
 AltOpinRefuse	RadioGroup	3.39. Do you think this person would refuse to have sex if their partner would not use a condom?

INTERVIEWER SCRIPT

31

Alter sexual relationship - screener


SUBJECT



Person


VARIABLES

AltRelate, AltRelType, AltSex1



NETWORK FILTERING

RULES



Person


where



AltRelate

includes **No**

OR



Person

where



AltRelType

includes **Partner**

PROMPTS

- 3.29. Have you ever had sex with this person?

VARIABLE




AltSex1

INTERVIEWER SCRIPT

32

Alter sexual relationship - detail



SUBJECT



Person

VARIABLES

AltSex1, AltSexCondom, AltSexNow1,
AltSexRelType

NETWORK FILTERING

RULES



Person

where



AltSex1

includes **Yes**

SKIP LOGIC

ACTION

SHOW

RULES



Person

where






AltSex1

includes **Yes**

INTRODUCTION PANEL

Sexual relationships

FORM

VARIABLE	COMPONENT	PROMPT
 AltSexRelType	RadioGroup	3.30. What was your relationship to this person at the time you last had sex?
 AltSexNow1	RadioGroup	3.31. Are you still in a sexual relationship with this person? That is, do you think that you will have sex with them again in the future?
 AltSexCondom	RadioGroup	3.32. How often do you use a condom with this person?

INTERVIEWER SCRIPT

Ego

Name	Type	Used In						
<div><div></div><div>DSID_check</div></div>	text	Study ID						
<div><div></div><div>FW_check</div></div>	text	Fieldworker ID						
<div><div></div><div>ID_check</div></div>	text	Manual identity check						
<div><div></div><div>Referee_check</div></div>	text	Referee check						
<div><div></div><div>Stage_check</div></div>	<div>categoryal</div> <table><tr><th>VALUE</th><th>LABEL</th></tr><tr><td>1</td><td>Stage 1</td></tr><tr><td>2</td><td>Stage 2</td></tr></table>	VALUE	LABEL	1	Stage 1	2	Stage 2	Study ID Referee check DSID lookup
VALUE	LABEL							
1	Stage 1							
2	Stage 2							



Ego

Name	Type	Used In
------	------	---------

No variables to display.



Person

Name	Type	Used In								
<div><div></div><div>AltAdvicePrevIn</div></div>	<div>categoryical</div> <div><table><tr><th>VALUE</th><th>LABEL</th></tr><tr><td>1</td><td>Yes</td></tr><tr><td>2</td><td>No</td></tr><tr><td>93</td><td>PNTA</td></tr></table></div>	VALUE	LABEL	1	Yes	2	No	93	PNTA	Sexual discussions
VALUE	LABEL									
1	Yes									
2	No									
93	PNTA									
<div><div></div><div>AltAdvicePrevOut</div></div>	<div>categoryical</div> <div><table><tr><th>VALUE</th><th>LABEL</th></tr><tr><td>1</td><td>Yes</td></tr><tr><td>2</td><td>No</td></tr><tr><td>3</td><td>PNTA</td></tr></table></div>	VALUE	LABEL	1	Yes	2	No	3	PNTA	Sexual discussions
VALUE	LABEL									
1	Yes									
2	No									
3	PNTA									
<div><div></div><div>AltAdviceSexIn</div></div>	<div>categoryical</div> <div><table><tr><th>VALUE</th><th>LABEL</th></tr><tr><td>1</td><td>Yes</td></tr><tr><td>2</td><td>No</td></tr><tr><td>93</td><td>PNTA</td></tr></table></div>	VALUE	LABEL	1	Yes	2	No	93	PNTA	Sexual discussions
VALUE	LABEL									
1	Yes									
2	No									
93	PNTA									
<div><div></div><div>AltAdviceSexOut</div></div>	<div>categoryical</div> <div><table><tr><th>VALUE</th><th>LABEL</th></tr><tr><td>1</td><td>Yes</td></tr><tr><td>2</td><td>No</td></tr><tr><td>93</td><td>PNTA</td></tr></table></div>	VALUE	LABEL	1	Yes	2	No	93	PNTA	Sexual discussions
VALUE	LABEL									
1	Yes									
2	No									
93	PNTA									
<div><div>123</div><div>AltAge</div></div>	number	Alter characteristics 1								

Name	Type	Used In														
<div><div><div></div><div></div><div></div><div></div></div><div>AltDiscussPrevent</div></div>	<div>categorical</div> <table><thead><tr><th>VALUE</th><th>LABEL</th></tr></thead><tbody><tr><td>1</td><td>Yes</td></tr><tr><td>2</td><td>No</td></tr><tr><td>3</td><td>PNTA</td></tr></tbody></table>	VALUE	LABEL	1	Yes	2	No	3	PNTA	<div>Sexual discussions</div> <div>Alter perceived sexual behaviour</div> <div>Alter perceived sexual behaviour</div>						
VALUE	LABEL															
1	Yes															
2	No															
3	PNTA															
<div><div><div></div><div></div><div></div><div></div></div><div>AltDiscussSex</div></div>	<div>categorical</div> <table><thead><tr><th>VALUE</th><th>LABEL</th></tr></thead><tbody><tr><td>1</td><td>Yes</td></tr><tr><td>2</td><td>No</td></tr><tr><td>93</td><td>PNTA</td></tr></tbody></table>	VALUE	LABEL	1	Yes	2	No	93	PNTA	<div>Sexual discussions</div> <div>Alter perceived sexual behaviour</div> <div>Alter perceived sexual behaviour</div>						
VALUE	LABEL															
1	Yes															
2	No															
93	PNTA															
<div><div><div></div><div></div><div></div><div></div></div><div>AltFriend</div></div>	<div>categorical</div> <table><thead><tr><th>VALUE</th><th>LABEL</th></tr></thead><tbody><tr><td>1</td><td>Yes</td></tr><tr><td>2</td><td>No</td></tr><tr><td>3</td><td>PNTA</td></tr></tbody></table>	VALUE	LABEL	1	Yes	2	No	3	PNTA	<div>Alter characteristics - friend</div> <div>Alter characteristics - other</div> <div>Alter characteristics - other</div>						
VALUE	LABEL															
1	Yes															
2	No															
3	PNTA															
<div><div><div></div><div></div><div></div><div></div></div><div>AltFrqArgue</div></div>	<div>ordinal</div> <table><thead><tr><th>VALUE</th><th>LABEL</th></tr></thead><tbody><tr><td>6</td><td>Every day or almost every day</td></tr><tr><td>5</td><td>A few times a week</td></tr><tr><td>4</td><td>Once a week</td></tr><tr><td>3</td><td>A few times a month</td></tr><tr><td>2</td><td>Once a month</td></tr><tr><td>1</td><td>Less than once a month</td></tr></tbody></table>	VALUE	LABEL	6	Every day or almost every day	5	A few times a week	4	Once a week	3	A few times a month	2	Once a month	1	Less than once a month	<div>Alter communication</div>
VALUE	LABEL															
6	Every day or almost every day															
5	A few times a week															
4	Once a week															
3	A few times a month															
2	Once a month															
1	Less than once a month															


Name	Type	Used In														
<div><div><div></div><div></div><div></div></div><div>AltFrqComm</div></div>	<div>ordinal</div> <table><tr><th>VALUE</th><th>LABEL</th></tr><tr><td>6</td><td>Every day or almost every day</td></tr><tr><td>5</td><td>A few times a week</td></tr><tr><td>4</td><td>Once a week</td></tr><tr><td>3</td><td>A few times a month</td></tr><tr><td>2</td><td>Once a month</td></tr><tr><td>1</td><td>Less than once a month</td></tr></table>	VALUE	LABEL	6	Every day or almost every day	5	A few times a week	4	Once a week	3	A few times a month	2	Once a month	1	Less than once a month	<div>Alter communication</div>
VALUE	LABEL															
6	Every day or almost every day															
5	A few times a week															
4	Once a week															
3	A few times a month															
2	Once a month															
1	Less than once a month															
<div><div><div></div><div></div><div></div></div><div>AltFrqEmot</div></div>	<div>ordinal</div> <table><tr><th>VALUE</th><th>LABEL</th></tr><tr><td>6</td><td>Every day or almost every day</td></tr><tr><td>5</td><td>A few times a week</td></tr><tr><td>4</td><td>Once a week</td></tr><tr><td>3</td><td>A few times a month</td></tr><tr><td>2</td><td>Once a month</td></tr><tr><td>1</td><td>Less than once a month</td></tr></table>	VALUE	LABEL	6	Every day or almost every day	5	A few times a week	4	Once a week	3	A few times a month	2	Once a month	1	Less than once a month	<div>Alter communication</div>
VALUE	LABEL															
6	Every day or almost every day															
5	A few times a week															
4	Once a week															
3	A few times a month															
2	Once a month															
1	Less than once a month															

AltFrqfin

ordinal

VALUE	LABEL
6	Every day or almost every day
5	A few times a week
4	Once a week
3	A few times a month
2	Once a month
1	Less than once a month



Alter communication




 AltFrqInfo

ordinal

Alter communication

VALUE	LABEL
6	Every day or almost every day
5	A few times a week
4	Once a week
3	A few times a month
2	Once a month
1	Less than once a month

Name	Type	Used In														
<div><div></div><div>AltFrqPhys</div></div>	ordinal	Alter communication														
	<table><tr><th>VALUE</th><th>LABEL</th></tr><tr><td>6</td><td>Every day or almost every day</td></tr><tr><td>5</td><td>A few times a week</td></tr><tr><td>4</td><td>Once a week</td></tr><tr><td>3</td><td>A few times a month</td></tr><tr><td>2</td><td>Once a month</td></tr><tr><td>1</td><td>Less than once a month</td></tr></table>	VALUE	LABEL	6	Every day or almost every day	5	A few times a week	4	Once a week	3	A few times a month	2	Once a month	1	Less than once a month	
VALUE	LABEL															
6	Every day or almost every day															
5	A few times a week															
4	Once a week															
3	A few times a month															
2	Once a month															
1	Less than once a month															
<div><div></div><div>AltFrqSee</div></div>	ordinal	Alter communication														
	<table><tr><th>VALUE</th><th>LABEL</th></tr><tr><td>6</td><td>Every day or almost every day</td></tr><tr><td>5</td><td>A few times a week</td></tr><tr><td>4</td><td>Once a week</td></tr><tr><td>3</td><td>A few times a month</td></tr><tr><td>2</td><td>Once a month</td></tr><tr><td>1</td><td>Less than once a month</td></tr></table>	VALUE	LABEL	6	Every day or almost every day	5	A few times a week	4	Once a week	3	A few times a month	2	Once a month	1	Less than once a month	
VALUE	LABEL															
6	Every day or almost every day															
5	A few times a week															
4	Once a week															
3	A few times a month															
2	Once a month															
1	Less than once a month															

Name	Type	Used In														
<div><div></div><div>AltFrqSoc</div></div>	<div>ordinal</div> <table><thead><tr><th>VALUE</th><th>LABEL</th></tr></thead><tbody><tr><td>6</td><td>Every day or almost every day</td></tr><tr><td>5</td><td>A few times a week</td></tr><tr><td>4</td><td>Once a week</td></tr><tr><td>3</td><td>A few times a month</td></tr><tr><td>2</td><td>Once a month</td></tr><tr><td>1</td><td>Less than once a month</td></tr></tbody></table>	VALUE	LABEL	6	Every day or almost every day	5	A few times a week	4	Once a week	3	A few times a month	2	Once a month	1	Less than once a month	Alter communication
VALUE	LABEL															
6	Every day or almost every day															
5	A few times a week															
4	Once a week															
3	A few times a month															
2	Once a month															
1	Less than once a month															
<div><div></div><div>AltGender</div></div>	<div>categorical</div> <table><thead><tr><th>VALUE</th><th>LABEL</th></tr></thead><tbody><tr><td>1</td><td>Male</td></tr><tr><td>2</td><td>Female</td></tr></tbody></table>	VALUE	LABEL	1	Male	2	Female	Alter characteristics 1								
VALUE	LABEL															
1	Male															
2	Female															
<div><div></div><div>AltIzigodi</div></div>	<div>ordinal</div>	Alter location - inside PIP Alter location - specify Alter location - specify														

Name	Type	Used In
	VALUE	LABEL
	11	Ebaswazini
	16	Esiyembeni
	17	Gunjaneni
	18	Hlabisa Mission
	22	Kwahoho
	23	KwaMsane (Isigodi)
	24	KwaMsane (Township)
	28	Macambini
	30	Machibini
	32	Madwaleni
	33	Mahunjini
	34	Makhambane
	37	Mapheleni
	42	Mfekayi
	44	Mshaya
	48	Mvutshini
	49	Myeki
	51	Ndlovu Village
	53	Nkolokotho
	54	Nkombose
	55	Nkundusi
	56	Nomathiya
	57	Nompondo
	58	Nqopheni
	59	Nsolweni
	60	Ogengele
	62	Ophaphasi (Mpukunyoni)

Name	Type		Used In
	VALUE	LABEL	
	63	Ophondweni	
	64	Qakwini	
	66	Shikishela	
	99	Other	
	93	PNTA	

123

AltLength

number

Alter characteristics 1







AltLoc1






ordinal

VALUE	LABEL
1	In this home
2	In this bounded structure
3	In this isigodi
4	Outside this isigodi, within Mpukunyoni Tribal Area
5	Outside Mpukunyoni Tribal Area
93	PNTA




Alter characteristics 1
Alter location - inside PIP
Alter location - outside PIP
Alter location - inside PIP
Alter location - outside PIP

Name	Type	Used In																
<div><div></div><div>AltLoc2</div></div>	<div>ordinal</div> <table><tr><th>VALUE</th><th>LABEL</th></tr><tr><td>1</td><td>Hlabisa district, not Mpukunyoni Tribal Area</td></tr><tr><td>2</td><td>KwaZulu-Natal, not Hlabisa district</td></tr><tr><td>3</td><td>Republic of South Africa, not KwaZulu-Natal</td></tr><tr><td>4</td><td>Foreign Country</td></tr><tr><td>93</td><td>PNTA</td></tr></table>	VALUE	LABEL	1	Hlabisa district, not Mpukunyoni Tribal Area	2	KwaZulu-Natal, not Hlabisa district	3	Republic of South Africa, not KwaZulu-Natal	4	Foreign Country	93	PNTA	<div>Alter location - outside PIP</div> <div>Alter location - provinces</div> <div>Alter location - specify</div> <div>Alter location - specify</div> <div>Alter location - specify</div> <div>Alter location - provinces</div> <div>Alter location - specify</div> <div>Alter location - specify</div> <div>Alter location - specify</div>				
VALUE	LABEL																	
1	Hlabisa district, not Mpukunyoni Tribal Area																	
2	KwaZulu-Natal, not Hlabisa district																	
3	Republic of South Africa, not KwaZulu-Natal																	
4	Foreign Country																	
93	PNTA																	
<div><div></div><div>AltLocSpec</div></div>	<div>text</div>	<div>Alter location - specify</div>																
<div><div></div><div>AltMeet</div></div>	<div>categorical</div> <table><tr><th>VALUE</th><th>LABEL</th></tr><tr><td>1</td><td>Known them since I was a child</td></tr><tr><td>2</td><td>Met through a mutual contact</td></tr><tr><td>3</td><td>Met at school or university</td></tr><tr><td>4</td><td>Met at work</td></tr><tr><td>5</td><td>Met throgh church</td></tr><tr><td>9</td><td>Met some other way</td></tr><tr><td>93</td><td>PNTA</td></tr></table>	VALUE	LABEL	1	Known them since I was a child	2	Met through a mutual contact	3	Met at school or university	4	Met at work	5	Met throgh church	9	Met some other way	93	PNTA	<div>Alter characteristics 1</div> <div>Alter met - other</div> <div>Alter met - other</div>
VALUE	LABEL																	
1	Known them since I was a child																	
2	Met through a mutual contact																	
3	Met at school or university																	
4	Met at work																	
5	Met throgh church																	
9	Met some other way																	
93	PNTA																	
<div><div></div><div>AltMeetOth</div></div>	<div>text</div>	<div>Alter met - other</div>																

Name	Type	Used In										
<div><div><div></div><div></div><div></div></div><div>AltOpinAbstain</div></div>	<div>ordinal</div> <table><tr><th>VALUE</th><th>LABEL</th></tr><tr><td>1</td><td>Yes</td></tr><tr><td>2</td><td>No</td></tr><tr><td>98</td><td>Don't know</td></tr><tr><td>93</td><td>PNTA</td></tr></table>	VALUE	LABEL	1	Yes	2	No	98	Don't know	93	PNTA	Alter perceived sexual behaviour
VALUE	LABEL											
1	Yes											
2	No											
98	Don't know											
93	PNTA											
<div><div><div></div><div></div><div></div></div><div>AltOpinCondom</div></div>	<div>ordinal</div> <table><tr><th>VALUE</th><th>LABEL</th></tr><tr><td>1</td><td>Yes</td></tr><tr><td>2</td><td>No</td></tr><tr><td>98</td><td>Don't know</td></tr><tr><td>93</td><td>PNTA</td></tr></table>	VALUE	LABEL	1	Yes	2	No	98	Don't know	93	PNTA	Alter perceived sexual behaviour
VALUE	LABEL											
1	Yes											
2	No											
98	Don't know											
93	PNTA											
<div><div><div></div><div></div><div></div></div><div>AltOpinFaithful</div></div>	<div>ordinal</div> <table><tr><th>VALUE</th><th>LABEL</th></tr><tr><td>1</td><td>Yes</td></tr><tr><td>2</td><td>No</td></tr><tr><td>98</td><td>Don't know</td></tr><tr><td>93</td><td>PNTA</td></tr></table>	VALUE	LABEL	1	Yes	2	No	98	Don't know	93	PNTA	Alter perceived sexual behaviour
VALUE	LABEL											
1	Yes											
2	No											
98	Don't know											
93	PNTA											
<div><div><div></div><div></div><div></div></div><div>AltOpinKnow</div></div>	<div>ordinal</div> <table><tr><th>VALUE</th><th>LABEL</th></tr><tr><td>1</td><td>Yes</td></tr><tr><td>2</td><td>No</td></tr><tr><td>98</td><td>Don't know</td></tr><tr><td>93</td><td>PNTA</td></tr></table>	VALUE	LABEL	1	Yes	2	No	98	Don't know	93	PNTA	Alter perceived sexual behaviour
VALUE	LABEL											
1	Yes											
2	No											
98	Don't know											
93	PNTA											




Name	Type	Used In																		
<div><div></div><div>AltOpinRefuse</div></div>	<div>ordinal</div> <table><tr><th>VALUE</th><th>LABEL</th></tr><tr><td>1</td><td>Yes</td></tr><tr><td>2</td><td>No</td></tr><tr><td>98</td><td>Don't know</td></tr><tr><td>93</td><td>PNTA</td></tr></table>	VALUE	LABEL	1	Yes	2	No	98	Don't know	93	PNTA	Alter perceived sexual behaviour								
VALUE	LABEL																			
1	Yes																			
2	No																			
98	Don't know																			
93	PNTA																			
<div><div></div><div>AltProvince</div></div>	<div>categorical</div> <table><tr><th>VALUE</th><th>LABEL</th></tr><tr><td>1</td><td>Eastern Cap</td></tr><tr><td>2</td><td>Free State</td></tr><tr><td>3</td><td>Gauteng</td></tr><tr><td>4</td><td>Mpumalanga</td></tr><tr><td>5</td><td>Limpopo</td></tr><tr><td>6</td><td>North-West</td></tr><tr><td>7</td><td>Northern Cape</td></tr><tr><td>8</td><td>Western Cape</td></tr></table>	VALUE	LABEL	1	Eastern Cap	2	Free State	3	Gauteng	4	Mpumalanga	5	Limpopo	6	North-West	7	Northern Cape	8	Western Cape	Alter location - provinces
VALUE	LABEL																			
1	Eastern Cap																			
2	Free State																			
3	Gauteng																			
4	Mpumalanga																			
5	Limpopo																			
6	North-West																			
7	Northern Cape																			
8	Western Cape																			
<div><div></div><div>AltQR</div></div>	<div>text</div>	Referral QR assignment																		
<div><div></div><div>AltQR_check</div></div>	<div>categorical</div> <table><tr><th>VALUE</th><th>LABEL</th></tr><tr><td>1</td><td>Yes</td></tr><tr><td>2</td><td>No</td></tr></table>	VALUE	LABEL	1	Yes	2	No	Referral QR assignment												
VALUE	LABEL																			
1	Yes																			
2	No																			
<div><div></div><div>AltRelate</div></div>	<div>categorical</div> <table><tr><th>VALUE</th><th>LABEL</th></tr><tr><td>1</td><td>Yes</td></tr><tr><td>2</td><td>No</td></tr><tr><td>93</td><td>PNTA</td></tr></table>	VALUE	LABEL	1	Yes	2	No	93	PNTA	Alter characteristics 1 Alter characteristics - relatives Alter characteristics - friend Alter characteristics - relatives Alter characteristics - friend Alter sexual relationship - screener										
VALUE	LABEL																			
1	Yes																			
2	No																			
93	PNTA																			




Name	Type	Used In														
<div><div></div><div>AltRelativeOther</div></div>	text	Alter characteristics - other relative														
<div><div></div><div>AltRelOther</div></div>	text	Alter characteristics - other														
<div><div></div><div>AltRelType</div></div>	<div>categorycal</div> <table><tr><th>VALUE</th><th>LABEL</th></tr><tr><td>1</td><td>Parent</td></tr><tr><td>2</td><td>Sibling</td></tr><tr><td>3</td><td>Partner</td></tr><tr><td>4</td><td>Child</td></tr><tr><td>9</td><td>Other relation</td></tr><tr><td>93</td><td>PNTA</td></tr></table>	VALUE	LABEL	1	Parent	2	Sibling	3	Partner	4	Child	9	Other relation	93	PNTA	Alter characteristics - relatives Alter characteristics - other relative Alter characteristics - other relative Alter sexual relationship - screener
VALUE	LABEL															
1	Parent															
2	Sibling															
3	Partner															
4	Child															
9	Other relation															
93	PNTA															
<div><div></div><div>AltSatis1</div></div>	<div>ordinal</div> <table><tr><th>VALUE</th><th>LABEL</th></tr><tr><td>1</td><td>Don't agree at all</td></tr><tr><td>2</td><td>Disagree slightly</td></tr><tr><td>3</td><td>Neither agree nor disagree</td></tr><tr><td>4</td><td>Agree slightly</td></tr><tr><td>5</td><td>Totally agree</td></tr></table>	VALUE	LABEL	1	Don't agree at all	2	Disagree slightly	3	Neither agree nor disagree	4	Agree slightly	5	Totally agree	Relationship satisfaction		
VALUE	LABEL															
1	Don't agree at all															
2	Disagree slightly															
3	Neither agree nor disagree															
4	Agree slightly															
5	Totally agree															
<div><div></div><div>AltSatis2</div></div>	<div>ordinal</div> <table><tr><th>VALUE</th><th>LABEL</th></tr><tr><td>1</td><td>Don't agree at all</td></tr><tr><td>2</td><td>Disagree slightly</td></tr><tr><td>3</td><td>Neither agree nor disagree</td></tr><tr><td>4</td><td>Agree slightly</td></tr><tr><td>5</td><td>Totally agree</td></tr></table>	VALUE	LABEL	1	Don't agree at all	2	Disagree slightly	3	Neither agree nor disagree	4	Agree slightly	5	Totally agree	Relationship satisfaction		
VALUE	LABEL															
1	Don't agree at all															
2	Disagree slightly															
3	Neither agree nor disagree															
4	Agree slightly															
5	Totally agree															

Name	Type	Used In												
<div><div></div><div>AltSatis3</div></div>	<div>ordinal</div> <table><thead><tr><th>VALUE</th><th>LABEL</th></tr></thead><tbody><tr><td>1</td><td>Don't agree at all</td></tr><tr><td>2</td><td>Disagree slightly</td></tr><tr><td>3</td><td>Neither agree nor disagree</td></tr><tr><td>4</td><td>Agree slightly</td></tr><tr><td>5</td><td>Totally agree</td></tr></tbody></table>	VALUE	LABEL	1	Don't agree at all	2	Disagree slightly	3	Neither agree nor disagree	4	Agree slightly	5	Totally agree	Relationship satisfaction
VALUE	LABEL													
1	Don't agree at all													
2	Disagree slightly													
3	Neither agree nor disagree													
4	Agree slightly													
5	Totally agree													
<div><div></div><div>AltSatis4</div></div>	<div>ordinal</div> <table><thead><tr><th>VALUE</th><th>LABEL</th></tr></thead><tbody><tr><td>1</td><td>Don't agree at all</td></tr><tr><td>2</td><td>Disagree slightly</td></tr><tr><td>3</td><td>Neither agree nor disagree</td></tr><tr><td>4</td><td>Agree slightly</td></tr><tr><td>5</td><td>Totally agree</td></tr></tbody></table>	VALUE	LABEL	1	Don't agree at all	2	Disagree slightly	3	Neither agree nor disagree	4	Agree slightly	5	Totally agree	Relationship satisfaction
VALUE	LABEL													
1	Don't agree at all													
2	Disagree slightly													
3	Neither agree nor disagree													
4	Agree slightly													
5	Totally agree													
<div><div></div><div>AltSatis5</div></div>	<div>ordinal</div> <table><thead><tr><th>VALUE</th><th>LABEL</th></tr></thead><tbody><tr><td>1</td><td>Don't agree at all</td></tr><tr><td>2</td><td>Disagree slightly</td></tr><tr><td>3</td><td>Neither agree nor disagree</td></tr><tr><td>4</td><td>Agree slightly</td></tr><tr><td>5</td><td>Totally agree</td></tr></tbody></table>	VALUE	LABEL	1	Don't agree at all	2	Disagree slightly	3	Neither agree nor disagree	4	Agree slightly	5	Totally agree	Relationship satisfaction
VALUE	LABEL													
1	Don't agree at all													
2	Disagree slightly													
3	Neither agree nor disagree													
4	Agree slightly													
5	Totally agree													

Name	Type	Used In												
<div><div><div></div><div></div><div></div></div><div>AltSatis6</div></div>	ordinal <table><tr><th>VALUE</th><th>LABEL</th></tr><tr><td>1</td><td>Don't agree at all</td></tr><tr><td>2</td><td>Disagree slightly</td></tr><tr><td>3</td><td>Neither agree nor disagree</td></tr><tr><td>4</td><td>Agree slightly</td></tr><tr><td>5</td><td>Totally agree</td></tr></table>	VALUE	LABEL	1	Don't agree at all	2	Disagree slightly	3	Neither agree nor disagree	4	Agree slightly	5	Totally agree	Relationship satisfaction
VALUE	LABEL													
1	Don't agree at all													
2	Disagree slightly													
3	Neither agree nor disagree													
4	Agree slightly													
5	Totally agree													
<div><div><div></div><div></div><div></div></div><div>AltSatis7</div></div>	ordinal <table><tr><th>VALUE</th><th>LABEL</th></tr><tr><td>1</td><td>Don't agree at all</td></tr><tr><td>2</td><td>Disagree slightly</td></tr><tr><td>3</td><td>Neither agree nor disagree</td></tr><tr><td>4</td><td>Agree slightly</td></tr><tr><td>5</td><td>Totally agree</td></tr></table>	VALUE	LABEL	1	Don't agree at all	2	Disagree slightly	3	Neither agree nor disagree	4	Agree slightly	5	Totally agree	Relationship satisfaction
VALUE	LABEL													
1	Don't agree at all													
2	Disagree slightly													
3	Neither agree nor disagree													
4	Agree slightly													
5	Totally agree													
<div><div><div></div><div></div><div></div></div><div>AltSatis8</div></div>	ordinal <table><tr><th>VALUE</th><th>LABEL</th></tr><tr><td>1</td><td>Don't agree at all</td></tr><tr><td>2</td><td>Disagree slightly</td></tr><tr><td>3</td><td>Neither agree nor disagree</td></tr><tr><td>4</td><td>Agree slightly</td></tr><tr><td>5</td><td>Totally agree</td></tr></table>	VALUE	LABEL	1	Don't agree at all	2	Disagree slightly	3	Neither agree nor disagree	4	Agree slightly	5	Totally agree	Relationship satisfaction
VALUE	LABEL													
1	Don't agree at all													
2	Disagree slightly													
3	Neither agree nor disagree													
4	Agree slightly													
5	Totally agree													

Name	Type	Used In												
<div><div><div></div><div></div><div></div></div><div>AltSatis9</div></div>	ordinal <table><tr><th>VALUE</th><th>LABEL</th></tr><tr><td>1</td><td>Don't agree at all</td></tr><tr><td>2</td><td>Disagree slightly</td></tr><tr><td>3</td><td>Neither agree nor disagree</td></tr><tr><td>4</td><td>Agree slightly</td></tr><tr><td>5</td><td>Totally agree</td></tr></table>	VALUE	LABEL	1	Don't agree at all	2	Disagree slightly	3	Neither agree nor disagree	4	Agree slightly	5	Totally agree	Relationship satisfaction
VALUE	LABEL													
1	Don't agree at all													
2	Disagree slightly													
3	Neither agree nor disagree													
4	Agree slightly													
5	Totally agree													
<div><div><div></div><div></div><div></div></div><div>AltSatisX1</div></div>	ordinal <table><tr><th>VALUE</th><th>LABEL</th></tr><tr><td>1</td><td>Don't agree at all</td></tr><tr><td>2</td><td>Disagree slightly</td></tr><tr><td>3</td><td>Neither agree nor disagree</td></tr><tr><td>4</td><td>Agree slightly</td></tr><tr><td>5</td><td>Totally agree</td></tr></table>	VALUE	LABEL	1	Don't agree at all	2	Disagree slightly	3	Neither agree nor disagree	4	Agree slightly	5	Totally agree	Relationship satisfaction - per alter
VALUE	LABEL													
1	Don't agree at all													
2	Disagree slightly													
3	Neither agree nor disagree													
4	Agree slightly													
5	Totally agree													
<div><div><div></div><div></div><div></div></div><div>AltSatisX2</div></div>	ordinal <table><tr><th>VALUE</th><th>LABEL</th></tr><tr><td>1</td><td>Don't agree at all</td></tr><tr><td>2</td><td>Disagree slightly</td></tr><tr><td>3</td><td>Neither agree nor disagree</td></tr><tr><td>4</td><td>Agree slightly</td></tr><tr><td>5</td><td>Totally agree</td></tr></table>	VALUE	LABEL	1	Don't agree at all	2	Disagree slightly	3	Neither agree nor disagree	4	Agree slightly	5	Totally agree	Relationship satisfaction - per alter
VALUE	LABEL													
1	Don't agree at all													
2	Disagree slightly													
3	Neither agree nor disagree													
4	Agree slightly													
5	Totally agree													









Name	Type	Used In												
<div><div></div><div>AltSatisX3</div></div>	<div>ordinal</div> <table><thead><tr><th>VALUE</th><th>LABEL</th></tr></thead><tbody><tr><td>1</td><td>Don't agree at all</td></tr><tr><td>2</td><td>Disagree slightly</td></tr><tr><td>3</td><td>Neither agree nor disagree</td></tr><tr><td>4</td><td>Agree slightly</td></tr><tr><td>5</td><td>Totally agree</td></tr></tbody></table>	VALUE	LABEL	1	Don't agree at all	2	Disagree slightly	3	Neither agree nor disagree	4	Agree slightly	5	Totally agree	Relationship satisfaction - per alter
VALUE	LABEL													
1	Don't agree at all													
2	Disagree slightly													
3	Neither agree nor disagree													
4	Agree slightly													
5	Totally agree													
<div><div></div><div>AltSatisX4</div></div>	<div>ordinal</div> <table><thead><tr><th>VALUE</th><th>LABEL</th></tr></thead><tbody><tr><td>1</td><td>Don't agree at all</td></tr><tr><td>2</td><td>Disagree slightly</td></tr><tr><td>3</td><td>Neither agree nor disagree</td></tr><tr><td>4</td><td>Agree slightly</td></tr><tr><td>5</td><td>Totally agree</td></tr></tbody></table>	VALUE	LABEL	1	Don't agree at all	2	Disagree slightly	3	Neither agree nor disagree	4	Agree slightly	5	Totally agree	Relationship satisfaction - per alter
VALUE	LABEL													
1	Don't agree at all													
2	Disagree slightly													
3	Neither agree nor disagree													
4	Agree slightly													
5	Totally agree													
<div><div></div><div>AltSatisX5</div></div>	<div>ordinal</div> <table><thead><tr><th>VALUE</th><th>LABEL</th></tr></thead><tbody><tr><td>1</td><td>Don't agree at all</td></tr><tr><td>2</td><td>Disagree slightly</td></tr><tr><td>3</td><td>Neither agree nor disagree</td></tr><tr><td>4</td><td>Agree slightly</td></tr><tr><td>5</td><td>Totally agree</td></tr></tbody></table>	VALUE	LABEL	1	Don't agree at all	2	Disagree slightly	3	Neither agree nor disagree	4	Agree slightly	5	Totally agree	Relationship satisfaction - per alter
VALUE	LABEL													
1	Don't agree at all													
2	Disagree slightly													
3	Neither agree nor disagree													
4	Agree slightly													
5	Totally agree													

Name	Type	Used In												
<div><div></div><div>AltSatisX6</div></div>	<div>ordinal</div> <table><thead><tr><th>VALUE</th><th>LABEL</th></tr></thead><tbody><tr><td>1</td><td>Don't agree at all</td></tr><tr><td>2</td><td>Disagree slightly</td></tr><tr><td>3</td><td>Neither agree nor disagree</td></tr><tr><td>4</td><td>Agree slightly</td></tr><tr><td>5</td><td>Totally agree</td></tr></tbody></table>	VALUE	LABEL	1	Don't agree at all	2	Disagree slightly	3	Neither agree nor disagree	4	Agree slightly	5	Totally agree	Relationship satisfaction - per alter
VALUE	LABEL													
1	Don't agree at all													
2	Disagree slightly													
3	Neither agree nor disagree													
4	Agree slightly													
5	Totally agree													
<div><div></div><div>AltSatisX7</div></div>	<div>ordinal</div> <table><thead><tr><th>VALUE</th><th>LABEL</th></tr></thead><tbody><tr><td>1</td><td>Don't agree at all</td></tr><tr><td>2</td><td>Disagree slightly</td></tr><tr><td>3</td><td>Neither agree nor disagree</td></tr><tr><td>4</td><td>Agree slightly</td></tr><tr><td>5</td><td>Totally agree</td></tr></tbody></table>	VALUE	LABEL	1	Don't agree at all	2	Disagree slightly	3	Neither agree nor disagree	4	Agree slightly	5	Totally agree	Relationship satisfaction - per alter
VALUE	LABEL													
1	Don't agree at all													
2	Disagree slightly													
3	Neither agree nor disagree													
4	Agree slightly													
5	Totally agree													
<div><div></div><div>AltSatisX8</div></div>	<div>ordinal</div> <table><thead><tr><th>VALUE</th><th>LABEL</th></tr></thead><tbody><tr><td>1</td><td>Don't agree at all</td></tr><tr><td>2</td><td>Disagree slightly</td></tr><tr><td>3</td><td>Neither agree nor disagree</td></tr><tr><td>4</td><td>Agree slightly</td></tr><tr><td>5</td><td>Totally agree</td></tr></tbody></table>	VALUE	LABEL	1	Don't agree at all	2	Disagree slightly	3	Neither agree nor disagree	4	Agree slightly	5	Totally agree	Relationship satisfaction - per alter
VALUE	LABEL													
1	Don't agree at all													
2	Disagree slightly													
3	Neither agree nor disagree													
4	Agree slightly													
5	Totally agree													

Name	Type	Used In														
<div><div><div></div><div></div><div></div></div><div>AltSatisX9</div></div>	<div>ordinal</div> <table><thead><tr><th>VALUE</th><th>LABEL</th></tr></thead><tbody><tr><td>1</td><td>Don't agree at all</td></tr><tr><td>2</td><td>Disagree slightly</td></tr><tr><td>3</td><td>Neither agree nor disagree</td></tr><tr><td>4</td><td>Agree slightly</td></tr><tr><td>5</td><td>Totally agree</td></tr></tbody></table>	VALUE	LABEL	1	Don't agree at all	2	Disagree slightly	3	Neither agree nor disagree	4	Agree slightly	5	Totally agree	Relationship satisfaction - per alter		
VALUE	LABEL															
1	Don't agree at all															
2	Disagree slightly															
3	Neither agree nor disagree															
4	Agree slightly															
5	Totally agree															
<div><div><div></div><div></div><div></div><div></div></div><div>AltSex1</div></div>	<div>categorical</div> <table><thead><tr><th>VALUE</th><th>LABEL</th></tr></thead><tbody><tr><td>1</td><td>Yes</td></tr><tr><td>2</td><td>No</td></tr><tr><td>93</td><td>PNTA</td></tr></tbody></table>	VALUE	LABEL	1	Yes	2	No	93	PNTA	Alter sexual relationship - screener Alter sexual relationship - detail Alter sexual relationship - detail						
VALUE	LABEL															
1	Yes															
2	No															
93	PNTA															
<div><div><div></div><div></div><div></div></div><div>AltSexCondom</div></div>	<div>ordinal</div> <table><thead><tr><th>VALUE</th><th>LABEL</th></tr></thead><tbody><tr><td>1</td><td>Never</td></tr><tr><td>2</td><td>Rarely, once in a while</td></tr><tr><td>3</td><td>Sometimes, about half of the time</td></tr><tr><td>4</td><td>Frequently, but not all the time</td></tr><tr><td>5</td><td>Always</td></tr><tr><td>93</td><td>PNTA</td></tr></tbody></table>	VALUE	LABEL	1	Never	2	Rarely, once in a while	3	Sometimes, about half of the time	4	Frequently, but not all the time	5	Always	93	PNTA	Alter sexual relationship - detail
VALUE	LABEL															
1	Never															
2	Rarely, once in a while															
3	Sometimes, about half of the time															
4	Frequently, but not all the time															
5	Always															
93	PNTA															
<div><div><div></div><div></div><div></div></div><div>AltSexNow1</div></div>	<div>ordinal</div> <table><thead><tr><th>VALUE</th><th>LABEL</th></tr></thead><tbody><tr><td>1</td><td>Yes</td></tr><tr><td>2</td><td>No</td></tr><tr><td>93</td><td>PNTA</td></tr></tbody></table>	VALUE	LABEL	1	Yes	2	No	93	PNTA	Alter sexual relationship - detail						
VALUE	LABEL															
1	Yes															
2	No															
93	PNTA															

Name	Type	Used In														
<div><div><div></div><div></div><div></div></div><div>AltSexRelType</div></div>	<div>ordinal</div> <table><tr><th>VALUE</th><th>LABEL</th></tr><tr><td>1</td><td>We were married or living together as a couple at that time</td></tr><tr><td>2</td><td>We were in a steady relationship at that time</td></tr><tr><td>3</td><td>We used to be in a steady relationship, but were not at that time</td></tr><tr><td>4</td><td>We had known each other before, but were not in a steady relationship at that time</td></tr><tr><td>5</td><td>We did not know each other at that time</td></tr><tr><td>93</td><td>PNTA</td></tr></table>	VALUE	LABEL	1	We were married or living together as a couple at that time	2	We were in a steady relationship at that time	3	We used to be in a steady relationship, but were not at that time	4	We had known each other before, but were not in a steady relationship at that time	5	We did not know each other at that time	93	PNTA	<div>Alter sexual relationship - detail</div>
VALUE	LABEL															
1	We were married or living together as a couple at that time															
2	We were in a steady relationship at that time															
3	We used to be in a steady relationship, but were not at that time															
4	We had known each other before, but were not in a steady relationship at that time															
5	We did not know each other at that time															
93	PNTA															

Name	Type	Used In																						
<div><div></div><div>AltSpendTime</div></div>	<div>categorical</div> <table><tr><th>VALUE</th><th>LABEL</th></tr><tr><td>1</td><td>At your home</td></tr><tr><td>2</td><td>At their home</td></tr><tr><td>3</td><td>At school</td></tr><tr><td>4</td><td>At work</td></tr><tr><td>5</td><td>At church</td></tr><tr><td>6</td><td>At sporting events</td></tr><tr><td>7</td><td>At club/society meetings</td></tr><tr><td>8</td><td>At shebeens</td></tr><tr><td>9</td><td>Somewhere else</td></tr><tr><td>93</td><td>PNTA</td></tr></table>	VALUE	LABEL	1	At your home	2	At their home	3	At school	4	At work	5	At church	6	At sporting events	7	At club/society meetings	8	At shebeens	9	Somewhere else	93	PNTA	<div>Alter characteristics 1</div> <div>Alter spend time - other</div> <div>Alter spend time - other</div>
VALUE	LABEL																							
1	At your home																							
2	At their home																							
3	At school																							
4	At work																							
5	At church																							
6	At sporting events																							
7	At club/society meetings																							
8	At shebeens																							
9	Somewhere else																							
93	PNTA																							
<div><div></div><div>AltSpendTimeOth</div></div>	<div>text</div>	<div>Alter spend time - other</div>																						
<div><div></div><div>IntBirthday</div></div>	<div>text</div>	<div>Name identifier</div>																						
<div><div></div><div>IntFatherName</div></div>	<div>text</div>	<div>Name identifier</div>																						
<div><div></div><div>IntFatherSurname</div></div>	<div>text</div>	<div>Name identifier</div>																						
<div><div></div><div>IntFirstName</div></div>	<div>text</div>	<div>Name identifier</div>																						
<div><div></div><div>IntFirstNameOther</div></div>	<div>text</div>	<div>Name identifier</div>																						
<div><div></div><div>IntLastName</div></div>	<div>text</div>	<div>Name identifier</div>																						

Name	Type	Used In
 IntLastNameOther	text	Name identifier
 IntMotherName	text	Name identifier
 IntMotherSurname	text	Name identifier
 IntPhone	text	Name identifier
 IntPhone2	text	Name identifier
 name	text	Non-roster name generator
 NgNonRoster	boolean	Non-roster name generator
 XYInitial	layout	Sociogram Sociogram Sociogram




CoResidents

Name	Type	Used In
------	------	---------

No variables to display.



Name	Type	Used In														
<div><div></div><div>AltAltComm</div></div>	<div>ordinal</div> <table><tr><th>VALUE</th><th>LABEL</th></tr><tr><td>1</td><td>Every day or almost every day</td></tr><tr><td>2</td><td>A few times a week</td></tr><tr><td>3</td><td>Once a week</td></tr><tr><td>4</td><td>A few times a month</td></tr><tr><td>5</td><td>Once a month</td></tr><tr><td>6</td><td>Less than once a month</td></tr></table>	VALUE	LABEL	1	Every day or almost every day	2	A few times a week	3	Once a week	4	A few times a month	5	Once a month	6	Less than once a month	<div>Alter alter communication</div>
VALUE	LABEL															
1	Every day or almost every day															
2	A few times a week															
3	Once a week															
4	A few times a month															
5	Once a month															
6	Less than once a month															

Resource Library

Network

NAME	permuted_data_10feb2020 - ego
TYPE	Network
VARIABLES	name, FakeID