

# Test-to-PrEP\_10-22-2025.netcanvas

A Randomized Hybrid Implementation/Effectiveness Trial of a Social Network Strategy to Increase Equitable Reach of HIV Testing and PrEP Information.



LAST MODIFIED:10/22/2025, 11:51:55 AN SCHEMA VERSION:7

DOCUMENT CREATED: 10/22/2025 11:51:58 AM

### **Contents**

### STAGES

- 1. Protocol Citation Information
- 2. baseline-intervention-arm
- 3. baseline-study-prompt
- 4. baseline-alter-intro-prompt
- 5. baseline-initial-alters-form
- 6. baseline-initial-alters-typeof-sex-partner
- 7. baseline-distribution-method
- 8. baseline-how-long-egos-known-alters
- 9. baseline-close-seen-oftencommunicate-with-alter-inthepast30
- 10. baseline-where-did-ego-meet-initial-alters
- 11. baseline-meet-talk-about-HIVST-and-PrEP-next30-days
- 12. baseline-alters-doxypep-intro
- 13. baseline-ego-talk-to-alters-DoxyPEP-next30-days
- 14. baseline-ego-ever-discussed-PrEP-w-alters-alters-shared-current-past-prep-use
- 15. baseline-ego-percep-alter-take-prep-for-hiv-prevention
- 16. baseline-ego-shared-they-were-using-prep-with-alters
- 17. baseline-ego-discussed-sti-doxypep-with-alters
- 18. baseline-intro-alters-engaged-chemsex-prompt
- 19. baseline-alters-engage-in-chemsex
- 20. baseline-alter-inject-drugs
- 21. baseline-alters-know-eachother
- 22. baseline-alters-that-know-eachother-relationship-type
- 23. baseline-alters-sociogram-intro-prompt
- 24. baseline-sociogram-alters-that-know-eachother-HIVST-motivation

### **CODEBOOK**

### Ego

### **NODE TYPES**



initial-baseline

### **EDGE TYPES**

alters\_know\_eachother

alter\_encourage\_HIVST\_use

alter\_encourage\_PrEP\_initi

alter\_views\_influent

### **ASSETS**

### VIDEO

### select-nodes-trimmed.mov

### IMAGE

create-edge.gif
Screenshot 2025-03-07 at 8.51.05 AM.png
Screenshot 2025-03-07 at 8.44.06 AM.png
edited-ego-center-png.png
ego-center-updated.png
ego-centered-updated-2.png
updated-ego-center-ex-gif.gif

# 1

# **Protocol Citation Information**



### PAGE HEADING

### **Protocol Citation Information**

ITEMS		
BLOCK SIZE	SMALL	
TYPE	Text	
CONTENT	Protocol Authors:  Johnson AL, Butts SA, Rodriguez E, Craker L, Kanamori M, Doblecki-Lewis S	
BLOCK SIZE	SMALL	
TYPE	Text	
CONTENT	Cite Publication:  Johnson, A. L., Butts, S. A., Rodriguez, E., Craker, L., Kanamori, M., & Doblecki-Lewis, S. (2023). "Test-to-PrEP": Assessing reach and adoption of a new approach to increase HIV testing and PrEP knowledge using HIV self-test kit distribution through PrEP clients' social networks. <i>Journal of Acquired Immune Deficiency Syndromes</i> , 94(5), 421-428.  [https://doi.org/10.1097/QAI.000000000003294] (https://doi.org/10.1097/QAI.000000000003294)	
BLOCK SIZE	SMALL	
TYPE	Text	
CONTENT	Study Title:  Test-to-PrEP: A Randomized Hybrid Implementation/Effectiveness Trial of a Social Network Strategy to Increase Equitable Reach of HIV Testing and PrEP Information	
BLOCK SIZE	SMALL	
TYPE	Text	
CONTENT	PI: Susanne Doblecki-Lewis  Grant Number: R01MH138190	

INTERVIEWER SCRIPT	



# baseline-intervention-arm




### INTRODUCTION PANEL

### **Intervention Arm**

Please select which component the participant is assigned to





# 3

# baseline-study-prompt



D A	CE	HΕΔ	וחו	NIC

### Introduction

ITEMS	
BLOCK SIZE	MEDIUM
TYPE	Text
CONTENT	Thank you for participating in our Test-to-PrEP study! We will now be asking you some questions about members of your social network who you will distribute an HIV self-testing (HIVST) Kit or Resource palm card (PC).  Please remember that all your responses are completely confidential, and we do not share any information to anyone outside of this study.

INTERVIEWER SCRIPT	



# baseline-alter-intro-prompt



### PAGE HEADING

### **Network Members**

ITEMS	
BLOCK SIZE	LARGE
TYPE	Text
	We will now be asking you some questions about different people in your social network.
	Please let us know of up to four (4) different people in your social network to whom you intend to distribute an HIV Self-Test (HIVST) kit or Palm Card (PC) in the next 30 days.
CONTENT	Please only include individuals who meet the following criteria:
	· not living with HIV
	· 18 years or older
	As a reminder, your response is confidential and we do not share any information you share with us with anyone outside of the study.

INTERVIEWER SCRIPT	

# 5 baseline-initial-alters-form

variables

initial-baseline

initial-alter-sex-partners, initial-alters-age, initial-alters-gender, initial-alters-good-canidate, initial-alters-hispanic, initial-alters-race, initial-alters-relationship, initial-alters-substance-use, name



### **PROMPTS**

1. Please provide the initials for up to four (4) different people in your social network whom you intend to distribute an HIV Self-Test (HIVST) kit or Palm Card (PC) in the next 30 days.

### FORM

### Title: Network Members Characteristics and Attributes


VARIABLE	COMPONENT	PROMPT
name name	Text	Please provide the initials or fake name for this person:
initial-alters-age	RadioGroup	In what age range would you say this individual is in?
initial-alters-hispanic	RadioGroup	Do you think they identify as Hispanic or Latino?
initial-alters-race	CheckboxGroup	In terms of race, how do you think this person identifies? (Select all that apply)
initial-alters-gender	RadioGroup	Which of the options below, do you think, best describes the gender identity of this individual?
initial-alters-relationship	CheckboxGroup	How would you describe your relationship with this person? (Select all that apply)
initial-alter-sex-partners	CheckboxGroup	How would you describe the sexual partner(s) of this individual? (Select all that apply)
initial-alters-substance-use	CheckboxGroup	Please indicate which of the following substances, if any, you think this individual uses (Select all that apply)
initial-alters-good-canidate	CheckboxGroup	From the answer choices below, please select why you believe this individuals might be a good candidate to receive an HIVST/Referral cards(Palm card/PC):


INTERVIEWER SCRIPT	

# baseline-initial-alters-typeof-sex-partner









### INTRODUCTION PANEL


### **Sexual Behaviors**

Please answer the following questions to the best of your abilities.


FORM		
VARIABLE	COMPONENT	PROMPT
initial-alters-typeof-sex-partner	CheckboxGroup	You indicated that this person was a sex partner of yours. What type of sex have you had with them? (Select all that apply)

INTERVIEWER SCRIPT	

# 7 baseline-distribution-method







### PROMPTS

1. How do you plan to distribute the Palm Card with the QR code to these individuals?



# baseline-how-long-egos-known-alters





### PROMPTS

1. How long have you known these individuals?



INTERVIEWER SCRIPT	

## baseline-close-seenoftencommunicate-with-alterinthepast30





### **PROMPTS**

1. How emotionally close are you to these individuals?



2. In the **past** 30 days, how often did you see these people **in-person?** (e.g., to hang out or run errands together)



3. In the **past** 30 days, how often did you communicate with these people via **a messaging platform?** (e.g., by Text, WhatsApp, social media DMs etc.)



# baseline-where-did-ego-meet-initial-alters





### PROMPTS


1. Where did you meet this individual?

VARIABLE	initial-alters-where-they-met
OTHER VARIABLE	initial-alters-where-they-met-other
OTHER VARIABLE PROMPT	**If other, please specify where you met this individual:**
OTHER OPTION LABEL	Other - e.g. Park/Beach, Sauna, Book/Video Store

INTERVIEWER SCRIPT	



# baseline-meet-talk-about-HIVST-and-PrEP-next30-days





### **PROMPTS**

INTERVIEWER SCRIPT

1. In the **next** 30 days, how likely is it that you will meet (**in person**) with these individuals?



2. In the **next** 30 days, how likely is it that you will **talk** about HIV self-testing with these individuals?



3. In the next 30 days, how likely is it that you will talk about PrEP with these individuals?



# 12

# baseline-alters-doxypep-intro




PAGE HEADING

DoxyPEP

ITEMS	
BLOCK SIZE	MEDIUM
TYPE	Text
CONTENT	Doxycycline Post-Exposure Prophylaxis (DoxyPEP) is a way to prevent some bacterial sexually transmitted infections (STIs) by taking an oral antibiotic called Doxycycline after having unprotected sex. When taken within 72 hours (about three days) after sex, DoxyPEP can lower the chances of getting STIs like syphilis, chlamydia, and sometimes gonorrhea.

# baseline-ego-talk-to-alters-DoxyPEP-next30-days





### PROMPTS

1. In the next 30 days, how likely is it that you will talk about DoxyPEP with these individuals?





## baseline-ego-ever-discussed-PrEPw-alters-alters-shared-currentpast-prep-use





### **PROMPTS**

1. Please indicate if you have ever discussed PrEP with any of these individuals:



2. Have any of these people told you they were currently using PrEP?



3. Have any of these people told you they have used PrEP in the past?







# baseline-ego-percep-alter-take-prep-for-hiv-prevention

SUBJECT initial-baseline

VARIABLES initial-alters-take-prep, initial-alters-told-ego-currently-prep, initial-alters-told-ego-past-prep







### **PROMPTS**

1. Do you think this person would consider taking PrEP for HIV prevention?





INTERVIEWER SCRIPT	



## baseline-ego-shared-they-wereusing-prep-with-alters





### **PROMPTS**

1. Did you tell any of these people that you were using PrEP?



2. Have you **ever** shared any of your PrEP pills with these individuals?



# baseline-ego-discussed-stidoxypep-with-alters





### **PROMPTS**

1. Have you ever discussed STIs (i.e. gonorrhea, syphilis, and/or chlamydia) with these individuals?



2. Have you ever discussed DoxyPEP with these individuals?



3. Have any of these individuals told you they were **currently** using DoxyPEP?







PAGE HEADING

As a reminder: Chemsex

ITEMS	
BLOCK SIZE	LARGE
TYPE	Text
CONTENT	"Chemsex" also known as "Party & Play" refers to the practice of using specific drugs, sometimes called "party drugs," to enhance or prolong sex, often in a group setting but can also be used for sexual encounters between two people. The drugs commonly involved in Chemsex include:  • Methamphetamine - aka Crystal, Tina, Ice, Glass  • GHB or GBL - aka G, Gina, Liquid Ecstasy, Geeb  • Mephedrone - aka Meow-Meow, MCAT, M-Smack, Drone  • Ketamine  Please answer the following statement that best describes your knowledge of each individuals participation in Chemsex.

INTERVIEWER SCRIPT	



# baseline-alters-engage-in-chemsex





### **PROMPTS**

 Please select which of the following statements best describes your knowledge of each individuals participation in Chemsex.

VARIABLE initial-alters-engage-chemsex

INTERVIEWER SCRIPT	

# 20 baseline-alter-inject-drugs





### PROMPTS

 Please select which of the following statements best describes your knowledge of each individuals use of injection drugs:

VARIABLE initial-alters-inject-drugs

INTERVIEWER SCRIPT	



### baseline-alters-know-eachother



### INTRODUCTION PANEL

Do your social network members know each other?


We will now be asking you some questions about whether or not your social network members know each other other. Please answer to the best of your knowledge.


# 











### INTRODUCTION PANEL

## Type of Relationship

For the network members you mentioned know each other, to the best of your knowledge, please describe the type(s) of relationship(s) these two individuals share.

FORM		
VARIABLE	COMPONENT	PROMPT
initial-alters-know-eachother-relatio	CheckboxGroup	please indicate the type(s) of relationship(s) the two people share (select all that apply)

INTERVIEWER SCRIPT	



# baseline-alters-sociogram-intro-prompt




SKIP LOGIC		
ACTION	SHOW	
RULES	alters_know_eachother	exists

### PAGE HEADING

### **Influential Network Member**


ITEMS	
BLOCK SIZE	MEDIUM
TYPE	Text
	We will now be asking you some questions about who in your social network is likely to support or encourage <i>other</i> network members in HIV prevention.
	For network members you mentioned know each other:
	1. First, identify which network member(s) is/are most likely to encourage <i>other</i> network members for each of the following HIV prevention messages.
CONTENT	2. Then, click on the node (network member) that represents the individual you believe as the most likely person to support and encourage others.
	3. And finally, select the other node(s) that you believe would be influenced by that individual.
	You will now place each node in the concentric circle in the following page, placing nodes closer to the center you feel closer to, and create a tie between network members by tapping FROM the initiating person(s) who is/are likely to support or encourage HIV prevention, TO the one who would be receiving that the HIV prevention information.




# INTERVIEWER SCRIPT











# PROMPTS

place the nodes in the concentric circle above. Then, draw a tie FROM the initiating person(s) who
is likely to encourage HIV prevention, TO the one receiving the following HIV prevention
information:



2. This person is likely to support and encourage HIVST use.



3. This person is likely to support and encourage PrEP initiation.




4. This person's views would likely be influential on health-related choices, particularly regarding HIV prevention.



INTERVIEWER SCRIPT	

# Ego





### Name **Type Used In** categorical baseline-initialalters-form initial-alter-sex-partners VALUE LABEL male Cis-Gender Men female Cis-Gender Woman Transgender/Trans tran-Feminine Woman woman Transgender/Trans trans-Masculine Men man Non-binary/Gender genderqueer Queer 999 Prefer Not to Answer ordinal baseline-initialalters-form all initial-alters-age LABEL VALUE 18-24 18-24 25-34 25-34 35-44 35-44 45-54 45-54 55-64 55-64 65-and-above 65 and above ordinal baseline-closeseenall initial-alters-closeness oftencommunicate-VALUE LABEL with-alterinthepast30 1 Not close at all 2 Slightly close

3

4

5

Moderately close

Extremely close

Very close

Name		Туре			Used In
		ordinal		baseline-close- seen- oftencommunicate-	
initial-alters-communicate	VALUE LABEL				
		1	Ne	ever	with-alter- inthepast30
		2	Oı	nce or twice a month	
		3	Ak	oout every week	
		4	Ak	oout every day	
		5	М	ultiple times a day	
		categorical			baseline-ego- discussed-sti-
::	initial-alters-ego-discussed-doxypep	VALUE		LABEL	doxypep-with- alters
	ego- discussed- doxypep		I have discussed DoxyPEP with them	allers	
		ego-didnot- discuss- doxypep		I have <b>NOT</b> discussed DoxyPEP with them	
		categorical		baseline-ego- discussed-sti-	
::	initial-alters-ego-discussed-sti	VALUE		LABEL	doxypep-with- alters
		ego- discussed- sti		I have discussed STIs with them	anors
		ego- didnot- discuss-sti		I have <b>NOT</b> discussed STIs with them	
::	initial-alters-ego-shared-prep-pill	categorical			baseline-ego- shared-they-were-
	VALUE		LABEL	using-prep-with- alters	
		ego- shared- prep-pill		I have shared my PrEP pills with them	
		ego- didnot- share-		I have <b>NOT</b> shared my PrEP pills with	

prep-pill

them

Name	Туре		Used In
initial-alters-ego-shared-prep-use	categorical	categorical	
minut ditoro ego siturou propreto	VALUE	LABEL	shared-they-were- using-prep-with- alters
	ego-told- alter-prep	I told these people that I use PrEP	
	ego- didnot- tell-alter- prep	I have <b>NOT</b> told these people that I use PrEP	
initial-alters-engage-chemsex	categorical		baseline-alters- engage-in-
illiturations engage chemisex	VALUE	LABEL	chemsex
	alter- engage- chemsex	I think they have Chemsex	
	alter- doesnot- engage- chemsex	I do <b>NOT</b> think they have Chemsex	
	alter- dontknow- chemsex	I am not sure if they have Chemsex or not	
initial-alters-ever-discussed-prep	categorical		baseline-ego-ever- discussed-PrEP-w-
initial atters ever useusseurprep	VALUE	LABEL	alters-alters- shared-current-
	discussed- prep	I have discussed PrEP with them	past-prep-use
	not- discussed- prep	I have <b>NOT</b> discussed PrEP with them	

Name	Туре		Used In
initial-alters-gender	ordinal		baseline-initial- alters-form
	VALUE	LABEL	
	male	Cis-gender Man	
	female	Cis-gender Woman	
	trans- woman	Transgender Woman/Trans Feminine Woman	
	trans- man	Transgender Man/Trans Masculine Man	
	non- binary	Non-binary/Gender Queer	
	999	Prefer not to answer	



categorical

baseline-initialalters-form

VALUE	LABEL
1	Have not been tested for HIV recently.
2	Have mentioned concerns about their risk for HIV.
3	Engage in sexual activity with partners whose HIV status is unknown.
4	Expressed interest in learning more about HIV prevention, HIV testing, or PrEP.
5	Expressed fear, anxiety, or avoidance of traditional HIV testing services (e.g., clinic- based testing).
6	Have limited access to healthcare services (e.g., no regular healthcare provider, lack of insurance, or transportation barriers).
7	Have experienced stigma or discrimination related to HIV, sexuality, or sexual health, which may deter them from accessing traditional testing services.
8	Have disclosed having a partner who is living with HIV.
9	Mentioned experiencing symptoms that may be associated with a new HIV infection (e.g., fever, sore throat, swollen lymph nodes, rash, or unexplained fatigue).
10	Have mentioned engaging in sex work or exchanging sex for money, goods, or services.

Name	Туре		Used In
	VALUE	LABEL	
	11	Mentioned that they inject drugs or have sexual partners who inject drugs.	
	12	Other	
initial-alters-hispanic	ordinal		baseline-initial- alters-form
	VALUE	LABEL	
	yes	Yes	
	no	No	
	999	Prefer not to answer	

::

initial-alters-inject-drugs

# categorical

VALUE	LABEL
alter- injects- drugs	I think they use injection drugs
alter- doesnot- inject- drugs	I do <b>NOT</b> think they use injection drugs
alters- notsure- inject- drugs	I am not sure if they use injection drugs or not

baseline-alterinject-drugs



initial-alters-known-for

# categorical

VALUE	LABEL
less-than-6- months	Less than 6 months
six-to-twelve- months	6 to 12 months
one-to-five- years	1 to 5 years
more-than-5- years	More than 5 years

baseline-how-longegos-known-alters

Name	Туре		Used In
	ordinal		baseline-meet-talk- about-HIVST-and-
initial-alters-meet-in-person-next-3	VALUE	LABEL	PrEP-next30-days
	5	Very likely	
	4	Likely	
	3	Somewhat likely	
	2	Not very likely	
	1	Not at all likely	
	categorical		baseline-
initial-alters-pc-distribution	VALUE	LABEL	distribution-method
	in- person	In-Person - Give them a physical copy of the card with the QR code on it	
	virtually	Virtually - Send them a picture of the card with the QR code on it (e.g. through Text or WhatsApp message)	
	not- sure- either	Not sure /Either	
	categorical		baseline-initial- alters-form
initial-alters-race	VALUE	LABEL	aiters-ioiiii
	black	Black/African American	
	white	White	
	asian	Asian	
	american- indian	American Indian/Alaska Native/Indigenous	
	native- hawaiian	Native Hawaiian/Pacific Islander	
	other	Other	

### Name Used In **Type** baseline-initialcategorical alters-form initial-alters-relationship baseline-initial-VALUE LABEL alters-typeof-sexpartner Main sexual main-sexbaseline-initialpartner partner alters-typeof-sexpartner Casual sexual casual-sexbaseline-initialpartner partner alters-typeof-sexpartner friend Friend baseline-initialalters-typeof-sexco-worker Co-worker partner Neighbor neighbor acquaintance Acquaintance family-Family member member other Other ordinal baseline-closeseenall initial-alters-see-each-other oftencommunicate-VALUE LABEL with-alterinthepast30 1 Never 2 Once or twice a month About every week 3 4 About every day



categorical

baseline-initialalters-form

VALUE	LABEL
alcohol	Alcohol
tobacco	Tobacco (including cigarettes, cigars, vaping etc.)
marijuana	Cannabis/Marijuana
cocaine	Cocaine
meth	Methamphetamine (Meth)
heroin	Heroin or other opioids
prescription- opiods	Prescription opioids (e.g., Oxycodone, Hydrocodone, Morphine) without a prescription
benzodiazepines	Benzodiazepines (e.g., Xanax, Valium) <b>without</b> a prescription
Ecstasy	Ecstasy/MDMA
Isd	LSD or other hallucinogens (e.g., Mushrooms)
ketamine	Ketamine
ghb	GHB (Gamma- hydroxybutyrate)
inhalants- poppers	Inhalants (e.g., nitrous oxide, amyl nitrate or "poppers")
synthetic-drugs	Synthetic drugs (e.g., synthetic cannabinoids or "spice," synthetic stimulants or "bath salts")
none-of-the- above	None of the above – They don't use any
not-sure	Not sure/Prefer not to say

### Name **Used In Type** categorical baseline-egopercep-alter-takeinitial-alters-take-prep prep-for-hiv-VALUE LABEL prevention Yes yes No no dont-know I don't know ordinal baseline-ego-talkto-altersuli initial-alters-talk-DoxyPEP-next30 DoxyPEP-next30-VALUE LABEL days 5 Very likely 4 Likely 3 Somewhat likely 2 Not very likely 1 Not at all likely ordinal baseline-meet-talkabout-HIVST-anduli initial-alters-talk-HIVST-next30 PrEP-next30-days VALUE LABEL 5 Very likely 4 Likely 3 Somewhat likely 2 Not very likely Not at all likely 1 ordinal baseline-meet-talkabout-HIVST-andall initial-alters-talk-PrEP-next30 PrEP-next30-days VALUE LABEL 5 Very likely 4 Likely 3 Somewhat Likely 2 Not very likely


Not at all likely


1

Name	Туре		Used In
initial-alters-told-ego-currently-pr	categorical	categorical	
	VALUE	LABEL	alters-alters- shared-current-
	alter- on- prep	Said they were currently using PrEP	past-prep-use baseline-ego- percep-alter-take- prep-for-hiv-
	alter- not-on- prep	Said they were <b>NOT</b> currently using PrEP	prevention baseline-ego- percep-alter-take- prep-for-hiv-
	alter- dont- know- prep	They have <b>NOT</b> said whether or not they were currently using PrEP	prevention baseline-ego- percep-alter-take- prep-for-hiv- prevention
			baseline-ego- percep-alter-take- prep-for-hiv- prevention
initial-alters-told-ego-past-prep	categorical	categorical	
	VALUE	LABEL	alters-alters- shared-current-
	alter-past- prep	Said they have used PrEP in the past	past-prep-use baseline-ego- percep-alter-take-
	alter-not- used- past-prep	Said they have <b>NOT</b> used PrEP in the past	prep-for-hiv- prevention baseline-ego- percep-alter-take-
	alters- dontknow- past-prep	They have <b>NOT</b> said whether or not they have used PrEP in the past	prep-for-hiv- prevention baseline-ego- percep-alter-take- prep-for-hiv-
			prevention baseline-ego- percep-alter-take- prep-for-hiv- prevention
initial-alters-typeof-sex-partner	categorical		baseline-initial- alters-typeof-sex-
minds ditera typeor-sex-partner	VALUE	LABEL	partner
	insertive- anal-top	Insertive anal sex (top)	
	receptive-	Receptive anal sex	

VALUE	LABEL
insertive- anal-top	Insertive anal sex (top)
receptive- anal-bot	Receptive anal sex (bottom)
vaginal-sex	Vaginal sex
oral-sex	Oral sex
999	Prefer not to answer

Name	Туре		Used In
initial-alters-use-doxyPEP	categorical		baseline-ego- discussed-sti-
	VALUE	LABEL	doxypep-with- alters
	1	Told me they were currently using DoxyPEP	alloro
	2	Told me they were <b>NO</b> currently using DoxyPEP	T
	3	They have <b>NOT</b> told me whether they were using DoxyPEP or not	
initial-alters-where-they-met	categorical		baseline-where- did-ego-meet-
	VALUE	LABEL	initial-alters
	bar-club	Bar/Club	
	work	Work	
	school	School	
	website- dating-app	Website/Dating App	1
	through- mutual-frie	Through a mutual friend	
initial-alters-where-they-met-other	text		baseline-where- did-ego-meet- initial-alters
rame name	text		baseline-initial- alters-form





### Used In Name Type baseline-alters-thatcategorical know-eachotherinitial-alters-know-eachother-relatic relationship-type LABEL VALUE friends Friends Main sex main-sexpartners partners Casual sex casual-sexpartners partners Co-workers co-workers neighbor Neighbor

familymembers

other

acquaintance

Family

Other

members

Acquaintance




Name Type Used In

No variables to display.



Name Type Used In

No variables to display.



Name Type Used In

No variables to display.

# Resource Library

# Video

NAME	51a06610-3ef8-11eb-9463-ef503e14de0c.mov
TYPE	Video
DURATION	8.25s
PREVIEW	A Process of the control of the cont
NAME	select-nodes-trimmed.mov
TYPE	Video
DURATION	19.15s
PREVIEW	Photos select crycyte vegets with the prescote invente.

# Image





